

Appln. No. 10/025,104

Amendment dated December 9, 2003

Reply to Office Action dated June 9, 2003

**Amendments To The Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (currently amended): An impact protection system for building openings, the system comprising:

a shutter having a shutter frame including two opposing elongated frame members having facing openings;

shutter blades extending between the two lateral frame members along blade axes and having ends positioned in the facing openings;

the shutter blades being angled relative to longitudinal axes of the frame members and spaced along the longitudinal axes of the frame members;

whereby the shutter blades provide a louvered appearance on one side and provide access to the facing openings adjacent between at least two of the shutter blades on the opposing side for insertion of bracing clips when the shutter is arranged for impact protection; and

a hinge provided along one of the lateral frame members for mounting the shutter to a wall adjacent an opening to be protected, the hinge permitting the shutter to pivot between an open position against the wall, in which a front face of the shutter is exposed outwardly from the wall and a rear face of the shutter faces the wall, and a closed position over the opening, in which the front face faces the opening and the rear face is exposed outwardly from the opening;

in the closed position, said facing openings including access areas adjacent the shutter blades on the exposed rear face of the shutter.

Claim 2 (canceled)

Claim 3 (currently amended): The system of Claim [[2]] 24, wherein the wall mount includes a U-shaped receptacle for removably receiving the storm bar and a wall bracket to be secured to the wall and removably securing the U-shaped receptacle, said wall bracket providing a groove, said U-shaped receptacle providing a base that removably slides into said groove of said wall bracket, said U-shaped receptacle base being wider than a width of said storm bar, said U-shaped

Appln. No. 10/025,104

Amendment dated December 9, 2003

Reply to Office Action dated June 9, 2003

receptacle being formed by the extension of two from said base, whereby the base provides a portion of the U and provides a wide and secure base for holding the storm bar to the wall.

Claim 4 (original): The system of Claim 1, wherein there are at least two of the shutters

Claim 5 (original): The system of Claim 1, wherein the openings of the lateral frame members are each defined by a U-shaped cross section of the elongated frame member having two side walls and a terminal wall, and the blades each have end flanges extending from the longitudinal edges of the blade, the flanges engaging the side walls and the blades being angled relative to the flanges and the side walls.

Claims 6-9 (canceled)

Claim 10 (currently amended): A shutter for an impact protection system for building openings, comprising:

a shutter frame including two opposing elongated frame members having facing openings;

shutter blades extending between the two lateral frame members along blade axes and having ends positioned in the facing openings; and

the shutter blades being angled along the blade axes relative to the longitudinal axes of the frame members and spaced along the frame members;

whereby the shutter blades provide a louvered appearance on one side and provide access to the facing openings adjacent between at least two of the shutter blades on the opposing side for insertion of bracing clips when the shutter is arranged for impact protection.

Claim 11 (currently amended): The shutter of claim ~~[[12]]~~ 10, wherein the openings of the lateral frame members are each defined by a U-shaped cross section of the elongated frame member having two side walls and a terminal wall, and the blades each have end flanges extending from the longitudinal edges of the blade, the flanges engaging the side walls and the blades being angled relative to the flanges and the side walls.

Claim 12 (original): The shutter of Claim 11, further comprising a connection flange for connecting with an adjacent blade.

Claim 13 (original): The shutter of Claim 12, wherein the connection flange and the adjacent blade are removably connected.

Appln. No. 10/025,104

Amendment dated December 9, 2003

Reply to Office Action dated June 9, 2003

Claim 14 (original): The shutter of Claim 13, wherein the connection flange and the adjacent blade are joined by a tongue and groove connection.

Claim 15 (original): The shutter of Claim 14, wherein the connection flange is formed with the adjacent blade over a series of blades.

Claim 16 (currently amended): A shutter blade assembly, comprising:

a first shutter blade and an adjacent shutter blade, each having:

an elongated blade body;

at least one side flange extending at an angle from said blade body, said side flange being adapted to engage a shutter frame and position said blade body at an angle relative to the shutter frame;

a connecting flange extending at an angle from the side flange along its length on a side opposite the blade body;

said connecting flange of the first shutter blade being adapted to connect to the blade body of the adjacent shutter blade.

Claim 17 (currently amended): The shutter blade assembly of Claim 16, wherein the connecting flange of the first shutter blade is permanently connected to the blade body of the adjacent shutter blade.

Claim 18 (currently amended): The shutter blade assembly of Claim 16, further comprising a third shutter blade having an elongated blade body; said blade body have an angled side flange extending therefrom and a connecting flange extending from the side flange;

wherein the connecting flange of the adjacent blade is permanently connected to the connecting portion blade body of the third blade, whereby a triple shutter blade assembly is provided and having a connecting flange and ~~connecting portion~~ available for connection to further shutter blades.

Claim 19 (currently amended): The shutter blade assembly of Claim 16, wherein the connecting flange of the first shutter blade is permanently affixed at its end to the blade body of the adjacent shutter blade.

Appln. No. 10/025,104

Amendment dated December 9, 2003

Reply to Office Action dated June 9, 2003

Claim 20 (currently amended): The shutter blade assembly of Claim 16, wherein the connecting flange of the first shutter blade is removably connected to the blade body of the adjacent shutter blade.

Claim 21 (original): The shutter blade assembly of Claim 20, wherein the connecting flange of the first shutter blade has a tongue connector and the adjacent shutter blade body has a mating groove for receiving the tongue connector.

Claim 22 (original): The shutter blade assembly of Claim 16, wherein each blade further comprises a second side flange extending from a longitudinal edge of the blade body opposite said connecting flange, said side flanges being generally planar and parallel.

Claim 23 (currently amended): A shutter blade, comprising:

an elongated blade body having a first blade body side and an opposite second blade body side;

at least one side flange extending from a longitudinal edge of the blade body at an angle, said at least one side flange have a first side flange side and an opposite second side flange, said first side flange side defining an acute angle with said first blade body side, whereby when mounted in a shutter frame, the blade body can be positioned at an angle to the shutter frame;

a connecting flange <sup>44</sup>having a first connecting flange side and an opposite second connecting flange side, said connecting flange extending at an angle from the side flange along its length on a side an edge opposite the blade body, said first connecting flange side defining an acute angle with the first side flange side;

said connecting flange having connecting structure to connect to another shutter blade.

Claim 24 (new): An impact protection system for building openings, the system comprising:

a shutter having a shutter frame including two opposing elongated frame members having facing openings;

shutter blades extending between the two lateral frame members along blade axes and having ends positioned in the facing openings;

the shutter blades being angled relative to longitudinal axes of the frame members and spaced along the longitudinal axes of the frame members;

Appln. No. 10/025,104

Amendment dated December 9, 2003

Reply to Office Action dated June 9, 2003

whereby the shutter blades provide a louvered appearance on one side and provide access to the facing openings between at least two of the shutter blades on the opposing side for insertion of bracing clips when the shutter is arranged for impact protection;

a hinge provided along one of the lateral frame members for mounting the shutter to a wall adjacent an opening to be protected, the hinge permitting the shutter to pivot between an open position against the wall, in which a front face of the shutter is exposed outwardly from the wall and a rear face of the shutter faces the wall, and a closed position over the opening, in which the front face faces the opening and the rear face is exposed outwardly from the opening;

in the closed position, said facing openings including access areas adjacent the shutter blades on the exposed rear face of the shutter;

a storm bar for extending across the shutter and mounting to the wall on opposite sides of the opening;

a storm bar clip secured to the storm bar and having a shutter insert for insertion into the access area to secure the storm bar to the shutter; and

a wall mount for securing the storm bar to the wall on opposite sides of the opening,

whereby the storm bar can be secured to the shutter without the use of bolts or other removable fasteners.

Claim 25 (new): The system of Claim 24, further comprising a connection flange for connecting with an adjacent blade.

Claim 26 (new): The system of Claim 25, wherein the connection flange extends from an end flange of a first blade for connection to an adjacent blade.

Claim 27 (new): The system of Claim 25, wherein the connection flange and the adjacent blade are removably connected.

Claim 28 (new): The system of Claim 27, wherein the connection flange and the adjacent blade are joined by a tongue and groove connection.

Claim 29 (new): The system of Claim 25, wherein the connection flange is formed with the adjacent blade over a series of blades.